


DECKING


Durable, sleek, easy installation and low maintenance decking-it is the ideal product for indoor and outdoor use as it made to withstand the elements of nature.




ROFILE
Decking
300 x 32
DB30032



ROFILE
Stair se
300 x 32
SC30032



ROFILE
Decking with 2 Options Size of Decking
- 138 x 28
- 52 x 28
DB28028




ROFILE
Decking with 2 Options Size of Decking
- 200 x 25
- 48 x 25
DB20025




ROFILE
Decking
168 x 20
DB16820



ROFILE
Decking Solid
168 x 20
DB16820



ROFILE
Decking
165 x 20
DB16520



ROFILE
Decking
153 x 40
DB15340



ROFILE
Decking
153 x 32
DB15332



ROFILE
Decking
153 x 25
DB15325



PROFILE
Decking
140 x 28
DB14028



PROFILE
Decking End
140 x 28
DBE14028




PROFILE
Decking Solid
140 x 28
DBS14028



PROFILE
Decking Tongue & Groove
140 x 28
DBTG14028



PROFILE
Decking Solid
140 x 25
DBS14025



PROFILE
Decking Solid
140 x 22
DB14022



PROFILE
Decking
100 x 20
DB10020



PROFILE
Decking
100 x 15
DB10015




PROFIL
Decking
90 x 32
DB09032



PROFILE
Decking
90 x 28
DB09028



PROFIL
Decking Bone
45 x 35
DB04535



Project in Vietnam

DECKING CLIP INSTALLATION METHOD



PROFILE

Decking Clip
28mm / 3mm
ADC 28-3



PROFILE

Decking Clip
28mm / 5mm
ADC 28-5




PROFILE

Decking Clip Brown
20mm / 3mm
ADC 20-3



1SPJFDU JO 4PVUI KP5FB



For : 20mm Deck
Decking Clip
83 x 5
DC08305/4
W 83mm x H 5mm



For : 28mm Deck
Decking Clip
83 x 7
DC08307/4
W 83mm x H 7mm







Apply with PVC glue



NOTE : Composite Decking Clip Length = 60 ~ 80mm for Used

INTERNAL PANELLING

With its natural timber look, an alternative application for residential or commercial that bring adding value to your investment. With its easy installation, painting or varnishing is not required for internal application for ceiling or internal panelling.




PROFILE
Wall Panel
Indoor
125 x 12
WPI12512



PROFILE
Wall Panel
Indoor
40 x 40
WPI04040



PROFILE
Wall Panel
Indoor
100 x 10
WPI10010



PROFILE
Wall Panel
Indoor
40 x 20
WPI04020



PROFILE
Wall Panel
Indoor
18 x 6
WPI01806



PROFILE
Wall Panel
Indoor
60 x 7
WPI06007




PROFILE
Wall Panel
Indoor
50 x 3
WPI05003



PROFILE
Wall Panel
Indoor
43 x 2
WPI04302



PROFILE
Wall Panel
Indoor
40 x 60
WPI04060



OUTDOOR PANELLING/CLADDING

Protect your home or building against the elements of nature with style. Simply a touch of elegance which brings warmth and architectural design to your home or building.



WPO60018
Wall Panel Outdoor
 600 x 18
 W 600mm x H 18mm



WPO40012
Wall Panel Outdoor
 400 x 12
 W 400mm x H 12mm



WPO36010
Wall Panel Outdoor
 360 x 10
 W 360mm x H 10mm



WPO31528
Wall Panel Outdoor
 315 x 28
 W 315mm x H 28mm




WPO25212
Wall Panel Outdoor
 252 x 12
 W 252mm x H 12mm



WPO25035
Wall Panel Outdoor
 250 x 35
 W 250mm x H 35mm



WPOR25028
Wall Panel Outdoor Round
 250 x 28
 W 250mm x H 28mm



WPO25028
Wall Panel Outdoor
 250 x 28
 W 250mm x H 28mm



WPO25020
Wall Panel Outdoor
 250 x 20
 W 250mm x H 20mm



WPO25018
Wall Panel Outdoor
 250 x 18
 W 250mm x H 18mm





WPO24030
Wall Panel Outdoor
 240 x 30
 W 240mm x H 30mm



WPO24028
Wall Panel Outdoor
 240 x 28
 W 240mm x H 28mm





INOVA INTERIOR

call : 085956 12 5393

inovainteriorsales@gmail.com



1SPJFDU JO *OEPOFTJB



Project in Australia



PROFILE
Wall Panel Outdoor
 180 x 06
WPO18006

W 180mm x H 06mm



PROFILE
Wall Panel Outdoor
 160 x 60
WPO16060

W 160mm x H 60mm



PROFILE
Wall Panel Outdoor
 150 x 25
WPO15025

W 150mm x H 25mm



PROFILE
Wall Panel Outdoor
 150 x 18
WPO15018

W 150mm x H 18mm



PROFILE
Wall Panel Outdoor
 130 x 13
WPO13013

W 130mm x H 13mm




PROFILE
Wall Panel Outdoor
 120 x 16
WPO12016

W 120mm x H 16mm




1SPJFDU JO 4PVUI KPSFB

CEILING




ROFIL
Ceiling
360 x 10
CL36010




ROFIL
Ceiling
310 x 10
CL31010



ROFIL
Ceiling
248 x 10
CL24810




ROFIL
Ceiling
150 x 8
CL15008



ROFIL
Ceiling
140 x 25
CL14025



ROFIL
Ceiling
124 x 8
CL12408



ROFIL
Ceiling
96 x 15
CL09615



ROFIL
Ceiling
100 x 12
CL10012



ROFIL
Ceiling
70 x 10
CL07010



ROFIL
Ceiling
68 x 25
CL06825



ROFIL
Ceiling
68 x 16
CL06816



DOOR PROFILE



PROFIL
Door Profile
 248 x 40
DP24840



PROFIL
Door Frame
 185 x 70
DF18570



PROFIL
Door Frame
 150 x 45
DF15045




PROFIL
Door Frame
 120 x 50
DF12050



PROFIL
Door Frame
 100 x 45
DF10045




PROFIL
Door Frame
 100 x 30
DF10030



PROFIL
Door Frame Cover
 45 x 65
DFC04565



PROFIL
Door Frame Stopper
 30 x 25
DFS03025




PROFIL
Wind w Frame
 70 x 40
WF07040



WALL PANEL

PROFILE
Wall Panel
600 x 25
WP60025



W 600mm x H 25mm

PROFILE
Wall Panel
600 x 16
WP60016



W 600mm x H 16mm

PROFILE
Wall Panel
600 x 12
WP60012



W 600mm x H 12mm

PROFILE
Wall Panel
600 x 8
WP60008




W 600mm x H 8mm

PROFILE
Wall Panel
600 x 5
WP60005



W 600mm x H 5mm

PROFILE
Wall Panel
400 x 10
WP40010



W 400mm x H 10mm

PROFILE
Wall Panel
320 x 16
WP32016



W 320mm x H 16mm

PROFILE
Wall Panel
160 x 16
WP16016



W 160mm x H 16mm

PROFILE
Wall Panel Hollow
160 x 16
WPH16016



W 160mm x H 16mm

PROFILE
Wall Panel
120 x 3
WP12003



W 120mm x H 3mm

PROFILE
Wall Panel
65 x 16
WP06516



W 65mm x H 16mm

PROFILE
Wall Panel
50 x 16
WP05016



W 50mm x H 16mm

PROFILE
Wall Panel
50 x 12
WP05012



W 50mm x H 12mm

PROFILE
Wall Panel
50 x 10
WP05010



W 50mm x H 10mm

PROFILE
Wall Panel
30 x 16
WP03016



W 30mm x H 16mm

PROFILE
Wall Panel
35 x 8
WP03508











W 35mm x H 8mm



Project in Australia

COLUMN









HALF LOG

Simply rugged, lightweight and durable fire retardant composite half log profile which provides a country facade look.



PROFILE
Half Log Outdoor
65 x 32
HLO06532



W 65mm x H 32mm

PROFILE
Half Log Indoor
65 x 32
HLI06532



W 65mm x H 32mm

PROFILE
Half Log Outdoor
90 x 25
HLO09025



W 90mm x H 25mm

PROFILE
Half Log Indoor
90 x 25
HLI09025



W 90mm x H 25mm

PROFILE
Half Log Outdoor
150 x 45
HLO15045



W 150mm x H 45mm

PROFILE
Half Log Indoor
150 x 45
HLI15045



W 150mm x H 45mm

FACADE SCREEN



ROFILE
Fac de Screen
 280 x 40
FS28040

W 280mm x H 40mm



ROFILE
Facade Screen
 250 x 100
FS250100

W 250mm x H 100mm



ROFILE
Facade Screen
 250 x 100A
FS250100A

W 250mm x H 100mm



ROFILE
Facade Screen
 200 x 100
FS200100

W 200mm x H 100mm



ROFILE
Facade Screen
 220 x 50
FS220050

W 220mm x H 50mm



ROFILE
Facade Screen
 150 x 100
FS150100

W 150mm x H 100mm



ROFILE
Facade Screen W/Clip
 50 x 50
FS050050

W 50mm x H 50mm



ROFILE
Facade Screen
 50 x 75
FS050075

W 50mm x H 75mm



ROFILE
Fac de Screen
 90 x 25
FS090025

W 90mm x H 25mm

LOUVER BLADES

Look no further if you are seeking a stylish, low maintenance, easy to install solution to provide privacy and protect your outdoor area.



PROFILE
Louver
90 x 19
LV09019A



W 90mm x H 19mm

PROFILE
Louver
90 x 19
LV09019B



W 90mm x H 19mm

PROFILE
Louver
150 x 24
LV15024



W 150mm x H 24mm

PROFILE
Louver
150 x 35
LV15035



W 150mm x H 35mm




PROFILE
Louver
 200 x 32
LV20032



PROFILE
Louver
 300 x 50
LV30050



PROFILE
Louver
 450 x 60
LV45060



PROFILE
Louver Frame
 95 x 30
LF09530





PLASTIC COVER FOR LOUVER BLADES



GRM Black Louver Cover-15024 A
ALC 15024 A



GRM Black Louver Cover-15024 B
ALC 15024 B



GRM Black Louver Cover-90 A
ALC 9019 A



GRM Black Louver Cover-150
ALC 15035



GRM Black Louver Cover-90 B
ALC 9019 B



GRM Black Louver Connector-150 (D)
ALC DS15035



GRM Black Louver Connector-15024 (D)
ALC DS15024



GRM Black Louver Connector-90 (P)
ALC PC9019





GRM Black Louver Connector-150 (P)
ALC PS15035



GRM Black Louver Connector-15024 (P)
ALC PS15024

INSTALLATION of PLASTIC COVER



GRM Black Louver Cover-300 A
ALC 30050 A



GRM Black Louver Cover-300 B
ALC 30050 B



GRM Black Louver Connector-300 (D)
ALC DS30050



GRM Black Louver Connector-300 (P)
ALC PS30050



GRM Black Louver Cover-20032 A
ALC 20032 A



GRM Black Louver Cover-20032 B
ALC 20032 B



GRM Black Louver Connector-20032 (D)
ALC DS20032



GRM Black Louver Connector-20032 (P)
ALC PS20032

TIMBER SIDE 4 SIDE Outdoor



PROFILE

Side 4 Side Indoor

75 x 30

S4SI07530

W 75mm x H 30mm



PROFILE

Side 4 Side Indoor

56 x 35

S4SI05635

W 56mm x H 35mm



PROFILE

Side 4 Side Indoor

50 x 50

S4SI05050

W 50mm x H 50mm



PROFILE

Side 4 Side Indoor

50 x 30

S4SI05030

W 50mm x H 30mm



PROFILE

Side 4 Side Outdoor

50 x 25

S4SO05025

W 50mm x H 25mm



PROFILE

Side 4 Side Indoor

50 x 25

S4SI05025

W 50mm x H 25mm



PROFILE

Side 4 Side Indoor

42 x 32

S4SI04232

W 42mm x H 32mm




PROFILE

Side 4 Side Indoor

30 x 30

S4SI03030

W 30mm x H 30mm



PROFILE

Side 4 Side Indoor

25 x 25

S4SI02525

W 25mm x H 25mm



Project in Vietnam



Project in Vietnam





Project in Thailand



1SPJFDU JO BBLBN

TIMBER SIDE 4 SIDE Indoor




ROOFING

The decorative finishing for the top of building with roofing application.


OFILE
Corrugated Roofing
288 x 40
CR28840




OFILE
Wall Panel Outdoor
400 x 12
WPO40012




OFILE
Wall Panel Outdoor
120 x 16
WPO12016



OFILE
Wall Panel Outdoor
400 x 12A
WPO40012A



OFILE
Wall Panel
120 x 3
WP12003




OFILE
Fascia
240 x 32
FC24032



FLOORING

Natural timber look, Durable, Water Resistant and Easy Installation Flooring. An artwork which brings warmth and low maintenance that is ideal to apply in wet room areas , residential and commercial application.



PROFILE
Indoor Flooring
250 x 8
IF25008



W 250mm x H 8mm

PROFILE
Indoor Flooring
250 x 6
IF25006



W 250mm x H 6mm

PROFILE
Indoor Flooring
200 x 12
IF20012



W 200mm x H 12mm

PROFILE
Indoor Flooring
190 x 12
IF19012



W 190mm x H 12mm

PROFILE
Indoor Flooring
150 x 12
IF15012



W 150mm x H 12mm

PROFILE
Indoor Flooring
140 x 10
IF14010



W 140mm x H 10mm

PROFILE
Indoor Flooring
130 x 8
IF13008



W 130mm x H 8mm

PROFILE
Indoor Flooring
125 x 15
IF12515



W 125mm x H 15mm

PROFILE
Indoor Flooring
125 x 12
IF12512



W 125mm x H 12mm

PROFILE
Indoor Flooring
125 x 8
IF12508



W 125mm x H 8mm

PROFILE
Indoor Flooring
125 x 6
IF12506



W 125mm x H 6mm

PROFILE
Indoor Flooring
113 x 12
IF11312



W 113mm x H 12mm

PROFILE
Indoor Flooring
95 x 10
IF09510



W 95mm x H 10mm



PROFILE
Flooring End
 35 x 6
IFE03506



PROFILE
Flooring End
 35 x 8
IFE03508



PROFILE
Flooring End
 35 x 12
IFE03512



RAIL & FENCE SYSTEM

Imagine what you can do with our composite railing & Fence system, simply innovative and versatile.



PROFILE
Post Support
125 x 125
PS125125



PROFILE
Support Rail
47 x 47
SR04747



PROFILE
Balust r
31 x 31
BL03131



PROFILE
Bottom Rail
63 x 56
BR06356



PROFILE
Top Rail
72 x 75
TR07275





ROFILE
Post Support
 175 x 175
PS175175



W 175mm x H 175mm



ROFILE
Fence Post
 120 x 120
FP120120



W 120mm x H 120mm



ROFILE
Connector Screen Post
 28 x 6
CSP02806



W 28mm x H 6mm



ROFILE
Fencing
 300 x 50
FP30050



W 300mm x H 50mm



ROFILE
End Screen Post
 50 x 50
ESP05050



W 50mm x H 50mm



ROFILE
Post Cover
 71 x 71
PC07171



W 71mm x H 71mm



ROFILE
Mid Screen Post
 50 x 50
MSP05050



W 50mm x H 50mm



ROFILE
Post Cover
 80 x 40
PC08040



W 80mm x H 40mm



ROFILE
Variable Post Cover
 155 x 08
VPC15508




W 155mm x H 8mm



ROFILE
Post Cover
 90 x 75
PC09075





W 90mm x H 75mm



ROFILE
Post Cover
 100 x 50
PC10050



W 100mm x H 50mm



ROFILE
Post Cover
 122 x 71
PC12271



W 122mm x H 71mm



Project in Philippine

PROFILE
Handrail
42 x 5
HR04205



PROFILE
Hand ail
130 x 50
HR13050



W 130mm x H 50mm

PROFILE
Handrail
60 x 55
HR06055



PROFILE
Handrail
115 x 50
HR11550



W 115mm x H 50mm

PROFILE
Handrail
60 x 59
HR06059



1SPJFDU JO BBUBN



1SPJFDU JO BBUBN

PROFILE
External Corner
45 x 45
EC04545



W 45mm x H 45mm

PROFILE
External Corner
Clip
50 x 50
ECC05050



W 50mm x H 50mm

PROFILE
External Corner
124 x 96
EC12496



W 124mm x H 96mm

FINISHING ACCESSORIES

The decorative finishing touch accessories for every application for decking, flooring, cladding and ceiling application.



PROFILE
External Corner
135 x 98
EC13598



W 135mm x H 98mm

PROFILE
Clip
36 x 12
C03612A



W 36mm x H 12mm

PROFILE
Clip
36 x 12
C03612B



W 36mm x H 12mm

PROFILE
Cover Mould
28 x 6
CM02806



W 28mm x H 6mm

PROFILE
Qua
19 x 19
Q01919



W 19mm x H 19mm

PROFILE
Edge Profile
28 x 28
EP02828



W 28mm x H 28mm

PROFILE
Cover Mould
21 x 5
CM02105



W 21mm x H 5mm

PROFILE
Qua
12 x 12
Q01212



W 12mm x H 12mm

PROFILE
Edge Profile
21 x 21
EP02121



W 21mm x H 21mm

PROFILE
Cover Mould
16 x 5
CM01605



W 16mm x H 5mm

PROFILE
End Stairs
53 x 28
ES05328



W 53mm x H 28mm

PROFILE
Scotia
19 x 19
ST01919



W 19mm x H 19mm

PROFILE
Edge Profile
75 x 30
EP07530



W 75mm x H 30mm



1SPJEDU JO 10EPOFTJB

PROFILE
Skirting
34 x 12
SK03412




PROFILE
Skirting
25 x 13
SK02513




PROFILE
Skirting
44 x 19
SK04419



PROFILE
Skirting
65 x 16
SK06516



1SPJEDU JO BBUBN




1SPJEDU JO BBUBN

SKIRTING

Our architectural fire retardant composite skirtings adds it final touches to add elegance for different application.



PROFILE
Skirting
100 x 21
SK10021



PROFILE
Skirting
100 x 20
SK10020



PROFILE
Skirting
95 x 12 R
SK09512R



PROFILE
Skirting
95 x 12 S
SK09512S



PROFILE
Skirting
70 x 20
SK07020



PROFILE
Skirting Clip
26
SKC00026



Material Properties



PROPERTY	STANDARD	RESULTS
Density(kg/ m ³)	ASTM D2395 : 2007a	694 kg/m ³
Shore D Hardness, median	ASTM D2240 : 2000	53
Water Absorption (%)	ASTM D1037 : 2006a Section 23 Method A	After 2 Hours - 0.33%
	ASTM D1037 : 2006a Section 23 Method A	After 24 Hours - 0.69%
Nail Pull Resistance	ASTM D1037 : 2006a Section 14	791N
Maximum Tensile Strength (Mpa)	ASTM D638 : 2003	15.6 Mpa
• Modulus of Elasticity (Mpa)	ASTM D638 : 2003	1684 Mpa
Elongation at break (%)	ASTM D638 : 2003	2.7%
Flexural Strength (Mpa)	ASTM D6109 : 2005	32.2 Mpa
• Modulus of Elasticity (Mpa)	ASTM D6109 : 2005	2102 Mpa
Maximum Compressive Strength (Mpa)	ASTM D695 : 2002a	193 Mpa
Coefficient of Thermal Expansion	ASTM E831 : 2000	A) After a1 (25 to 50° C): 92 µm/m°C
	ASTM E831 : 2000	B) a2(90 to 110°C) 298 µm/m°C
Fire Test	A) British Standard 476 : Part 6 : 1989	Class 2
	B) British Standard 476 : Part 7 : 1997	Class 2
	C) ASTM E84 : 2009c	Class B
Formaldehyde	ENV 717-1:2004	Pass
Heavy Metal*	HS-GC-MSD	N.D***
Solvent**	HS-GC-MSD	N.D***
Linear Thermal Expansion Coefficient	ASTM D696-08	62.50µm/m. °C

*Lead (Pb), Cadmium (Cd), Chromium Hexavalent (Cr⁶⁺), Chromium (Cr), Mercury (Hg)

**Halogenated Solvent, Aromatic Solvent

*** ND - Not Detectable

INOVA INTERIOR
call : 085956 12 5393
inovainteriorsales@gmail.com

Material Properties

PROPERTY	STANDARD	RESULTS
Compression Strength (at 50% deformation)	ASTM D695-08	181
Compressive Strength	ASTM D695-08	20.6 Mpa
Vicat Softening temperature	ASTM D1525-07	83.4°C
Mechanical fastener holding test	ASTM D1037-06a Section 16	777.0N
Impact resistance	ASTM D4495-00(2005)	47J
Specific gravity	ASTM D2395-07a Method A	0.7415
Moisture content	ASTM D1037-06a section 6	0.27%
Total Volatile Organic Compounds Emissions	ASTM D5116-06	Pass
Formaldehyde Emission Rate	ASTM D5116-06	Pass
Phenylcyclohexene Emission Rate	ASTM D5116-06	Pass
Total Phthalates Emission	ASTM D5116-06	Pass
Total Particles Emission	ASTM D5116-06	Pass
Ignitability	AS / NZS 1530.3:1999	13 / 20
Spread of Flame	AS / NZS 1530.3:1999	0 / 10
Heat Evolved	AS / NZS 1530.3:1999	1 / 10
Smoke Developed	AS / NZS 1530.3:1999	7 / 10
Against Subterranean Termite	ASTM D3345-08	PASS

All test are either done by TUV - PSB Singapore, Sucofindo - Indonesia, SGS - Singapore, SGS - China, Sirim Malaysia or CSIRO Australia. Contact our sales representative for more detailed test reports.



INOVA INTERIOR
call : 085956 12 5393
inovainteriorsales@gmail.com